

Natural Glow Make-Up with SPF

Formula KLF-032C

Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	13.45	SF1202	Cyclopentasiloxane	Momentive/Kobo Products
	5.00	SF1528	Cyclopentasiloxane (And) PEG/PPG-20/15 Dimethicone	Momentive/Kobo Products
	3.00	MSS-500W	Silica	Kobo Products
	2.50	SS4230	Cyclopentasiloxane (And) Trimethylsiloxysilicate	Momentive/Kobo Products
	0.63	SF1555	Bis-Phenylpropyl Dimethicone	Momentive/Kobo Products
	0.50	SFE839	Cyclopentasiloxane (And) Dimethicone/Vinyl Dimethicone Crosspolymer	Momentive/Kobo Products
2	24.00	CM3K40T4	Cyclopentasiloxane (And) Titanium Dioxide (And) PEG-10 Dimethicone (And) Alumina (And) Methicone	Kobo Products
	6.00	BTD-401	Titanium Dioxide (And) Isopropyl Titanium Triisostearate	Kobo Products
	0.60	BYO-I2	Iron Oxides (C.I. 77492) (And) Isopropyl Titanium Triisostearate	Kobo Products
	0.10	BRO-I2	Iron Oxides (C.I. 77491) (And) Isopropyl Titanium Triisostearate	Kobo Products
	0.04	BBO-I2	Iron Oxides (C.I. 77499) (And) Isopropyl Titanium Triisostearate	Kobo Products
3	28.56	Deionized Water	Water	
	7.83	Butylene Glycol	Butylene Glycol	Axo Chemical
	1.25	Glycerin 96%	Glycerin	Procter & Gamble
	0.63	Sodium Chloride	Sodium Chloride	Morton Salt
	0.60	Uniphen P-23	Phenoxyethanol (And) Methylparaben (And) Butylparaben (And) Ethylparaben (And) Propylparaben	Induchem
	0.31	Liposorb® L-20	Polysorbate 20	Lipo Chemicals
4	5.00	Ethyl Alcohol E1028	Ethyl Alcohol	VWR Scientific Products
100				

Manufacturing Procedure

Use explosion-proof mixers and equipment during batching process.

1. Combine Part 1 ingredients into main tank and homogenize for 5 minutes.
2. Add Part 2 to Part 1 and homogenize for 5 minutes.
3. In a side container using propeller agitation, mix Part 3 ingredients until solution is homogenous and clear.
4. Add Part 3 slowly to main tank under homogenization and mix for 5 minutes.
5. Add Part 4 and homogenize for 5 minutes.

Description

This liquid foundation features Kobo's Titanium Dioxide Dispersion, CM3K40T4, which provides SPF. MSS-500W helps impart an elegant feel in application and a soft focus effect. Kobo's ITT-Treated colors deliver smooth application and excellent wear. An emollient silicone base provides moisturization with Glycerin and Butylene Glycol.

Notes

Active Ingredient(s)	7.70%
Titanium Dioxide	

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com

January, 2009

KOBO

www.koboproducts.com

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49