

Elegant W/O Liquid Foundation featuring

Formula KLF-044B-CH

ITT-Treated Pigments

Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	12.00	SF1528	Cyclopentasiloxane (And) PEG/PPG-20/15 Dimethicone	Momentive/Kobo Products
	8.45	SF1202	Cyclopentasiloxane	Momentive/Kobo Products
	8.00	SILSOFT ETS	Ethyl Trisiloxane	Momentive/Kobo Products
	7.00	RBTD-I2	Titanium Dioxide (And) Isopropyl Titanium Triisostearate	Kobo Products
	3.00	KF-6017	PEG-10 Dimethicone	Shin Etsu
	2.50	Lexol® PG-865	Propylene Glycol Dicaprylate/Dicaprate	Inolex Chemical Company
	2.50	Salacos 99	Isononyl Isononanoate	Ikeda Corporation
	2.50	SS4230	Cyclopentasiloxane (And) Trimethylsiloxysilicate	Momentive/Kobo Products
	2.20	BYO-I2	Iron Oxides (C.I. 77492) (And) Isopropyl Titanium Triisostearate	Kobo Products
	2.00	LUCENTITE SAN-P	Quaternium-18 Hectorite	Kobo Products
	0.75	SF1555	Bis-Phenylpropyl Dimethicone	Momentive/Kobo Products
0.29	BRO-I2	Iron Oxides (C.I. 77491) (And) Isopropyl Titanium Triisostearate	Kobo Products	
0.25	BBO-I2	Iron Oxides (C.I. 77499) (And) Isopropyl Titanium Triisostearate	Kobo Products	
2	1.00	Ethyl Alcohol E1028	Ethyl Alcohol	VWR Scientific Products
3	37.91	Deionized Water	Water	
	3.50	Butylene Glycol	Butylene Glycol	Ruger Chemical Co., Inc.
	1.25	Glycerin U.S.P. Natural 96%	Glycerin	Univar USA Inc.
	1.00	Germaben® II	Propylene Glycol (And) Diazolidinyl Urea (And) Methylparaben (And) Propylparaben	ISP
	0.90	Sodium Chloride	Sodium Chloride	Morton Salt
	0.50	Jeecide CAP-5	Phenoxyethanol (And) Caprylyl Glycol (And) Potassium Sorbate (And) Water (And) Hexylene Glycol	Jeen International
	0.50	Tween™ 20	Polysorbate 20	Croda
4	2.00	MSS-500W	Silica	Kobo Products
100				

Manufacturing Procedure

1. Homogenize all ingredients of Part 1 until fully dispersed.
2. Add Part 2 to the dispersed Part 1.
3. Add Part 3 to Parts 1 and 2 slowly with homogenizing at room temperature.
4. Add Part 4 to Parts 1, 2 and 3 slowly with homogenizing at room temperature.

Description

This elegant W/O liquid foundation features Kobo's Isopropyl Titanium Triisostearate Treatment. The ITT-Treated Pigments help to prevent color change during the day, and improve the smoothness of application. MSS-500W helps impart an elegant feel in application and a soft focus effect. SF1555 helps to give a slip on application and couple the silicones to the esters. Silsoft ETS provides a quick dry time to help the foundation set. SS4230 helps the foundation to wear and SF1528 is an excellent W/O emulsifier. Lucentite SAN-P gives thickness to the formula.

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com

December, 2010

KOBO

www.koboproducts.com

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49