

Non-D5 Foundation with FAND Dispersions

Formula KLF-048D

Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	4.80	X-22-6711D	Dimethicone (And) PEG/PPG-18/18 Dimethicone	Shin-Etsu Chemical Co.
	2.50	Lexol® PG-865	Propylene Glycol Dicaprylate/Dicaprate	Inolex Chemical Company
	2.50	Salacos 99	Isononyl Isononanoate	Ikeda Corporation
	2.50	SS4267	Dimethicone (And) Trimethylsiloxysilicate	Momentive/Kobo Products
	1.00	Ethyl Alcohol E1028	Ethyl Alcohol	Warner Graham
	1.00	LUCENTITE SAN-P	Quaternium-18 Hectorite	Kobo Products
	0.75	SF1555	Bis-Phenylpropyl Dimethicone	Momentive/Kobo Products
2	23.30	DM2F40T7	Dimethicone (And) Trisiloxane (And) Titanium Dioxide (And) Alumina (And) Methicone (And) PEG-9 Polydimethylsiloxyethyl Dimethicone	Kobo Products
	6.65	Element14 PDMS 5	Dimethicone	Momentive/Kobo Products
	4.00	FAND65USI	Titanium Dioxide (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylsilane	Kobo Products
	2.60	FAND45YSI	Iron Oxides (C.I. 77492) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylsilane	Kobo Products
	1.00	KF-6017	PEG-10 Dimethicone	Shin-Etsu Chemical Co.
	0.40	FAND55RSI	Iron Oxides (C.I. 77491) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylsilane	Kobo Products
	0.25	FAND60BSI	Iron Oxides (C.I. 77499) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylsilane	Kobo Products
3	37.50	Deionized Water	Water	
	2.00	Butylene Glycol	Butylene Glycol	Ruger Chemical
	1.25	Glycerin U.S.P. Natural 96%	Glycerin	Univar USA Inc.
	1.00	Germaben® II	Propylene Glycol (And) Diazolidinyl Urea (And) Methylparaben (And) Propylparaben	ISP
	1.00	Sodium Chloride	Sodium Chloride	Morton Salt
	0.50	Jecide CAP-5	Phenoxyethanol (And) Caprylyl Glycol (And) Potassium Sorbate (And) Water (And) Hexylene Glycol	Jeen International
	0.50	Tween™ 20	Polysorbate 20	Croda
4	3.00	MSS-500W	Silica	Kobo Products

100

Manufacturing Procedure

1. Homogenize all ingredients of Part 1 until fully dispersed. Homogenize at least 20 minutes at 3000 RPM.
2. Add Part 2 to dispersed Part 1 at room temperature. Homogenize for 15 minutes.
3. Slowly add Part 3 to dispersed Parts 1 and 2 at room temperature and homogenize until dispersed.
4. Add Part 4 slowly to Parts 1, 2 and 3 with homogenization.

Description

This W/O foundation features Kobo's Volatile Non-D5 Pigmentary Dispersions, FAND Dispersions. DM2F40T7 is a Volatile Non-D5 Attenuation grade TiO2 Dispersion and is used for SPF. Kobo's Lucentite SAN-P gives body and thickening to the oil/silicone phase and Element14 PDMS 5 gives slip during application. MSS-500W is a spherical silica which gives slip during application and helps to give a matte finish when dry.

Notes

Active Ingredient(s)	9.82%
Titanium Dioxide	

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com

March, 2010

KOBO

www.koboproducts.com

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49