

Long Lasting Body Bronzer

Formula KPW-003E

Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	18.15	KoboMica L-27	Mica	Kobo Products
	15.00	MICA POWDER Y-3000	Mica	Yamaguchi/Kobo Products
	13.50	Silky Talc FK-300S	Talc	Yamaguchi/Kobo Products
	5.00	BPA-500	Polymethyl Methacrylate	Kobo Products
	5.00	SP-10	Nylon-12	Toray/Kobo Products
	0.20	BGYO-TTB2	Iron Oxides (C.I. 77492) (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone	Kobo Products
	0.15	Methyl Paraben NF	Methylparaben	International Sourcing
	0.10	BGRO-TTB2	Iron Oxides (C.I. 77491) (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone	Kobo Products
	0.10	Propyl Paraben NF	Propylparaben	International Sourcing
	0.05	BGBO-TTB2	Iron Oxides (C.I. 77499) (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Isopropyl Titanium Triisostearate	Kobo Products
2	4.00	SF96-50	Dimethicone	Momentive/Kobo Products
	1.00	Vitamin E Acetate	dl-alpha Tocopherol Acetate	Roche
3	10.00	KTZ® BRONZE	Mica (And) Iron Oxides (C.I. 77491)	Kobo Products
	10.00	KTZ® COPPER	Mica (And) Iron Oxides (C.I. 77491)	Kobo Products
	10.00	KTZ® BRONZE D OR	Mica (And) Iron Oxides (C.I. 77491)	Kobo Products
	2.00	KTZ® ROUSSILLON	Mica (And) Iron Oxides (C.I. 77491)	Kobo Products
	2.00	KTZ® VIBRANT GOLD	Mica (And) Titanium Dioxide (And) Iron Oxides (C.I. 77491)	Kobo Products
	1.25	KTZ® ARUBAN CORAL	Mica (And) Titanium Dioxide (And) Iron Oxides (C.I. 77491)	Kobo Products
	1.25	KTZ® WINTERVELD	Titanium Dioxide (And) Mica (And) Iron Oxides (C.I. 77491)	Kobo Products
	1.25	KTZ® XIAN VISTAS	Titanium Dioxide (And) Mica (And) Iron Oxides (C.I. 77491)	Kobo Products

100

Manufacturing Procedure

1. Weigh and add Part 1 raw materials to the Waring Blender under a fume hood. Mix for 2 -3 minutes.
2. Pre-mix Part 2.
3. Add Part 2 slowly to Part 1 under a fume hood. Mix for 2 minutes.
4. Add the KTZ® Pearls and mix for 1-2 minutes.

Description

A blend of soft Micas provides superior application when combined with a silky, smooth Talc. A surface treatment of Triethoxysilylethyl Polydimethylsiloxyethyl Methicone on the pigments provides compatibility with the binder and extends the wear. This background is then combined with KTZ® Pearlescent Pigments, some having special effects, to deliver a multicolor glow to liven the skin tone. A combination of Microspheres, SP-10 and BPA-500, helps to provide soft focus. Skin benefits are delivered via a combination of Silicone and Vitamin E.

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com

November, 2008

KOBO

www.koboproducts.com

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49