

Sprayable Sunscreen

Formula KSL-101C

Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	40.65	Deionized Water	Water	
	10.00	Keltrol CG (1% Aqueous Solution)	Xanthan Gum	CP Kelco
	4.00	Butylene Glycol	Butylene Glycol	Ruger Chemical Co., Inc.
	2.50	Ceralution® CC	Aqua (And) Caprylic/Capric Triglyceride (And) Glycerin (And) Ceteareth-25 (And) Disodium Ethylene Dicoamide PEG-15 Disulfate (And) Acacia Senegal Gum (And) Behenyl Alcohol (And) Glyceryl Stearate (And) Glyceryl Disulfate (And) Glyceryl Stearate Citrate (And) Phenoxyethanol (And) Xanthan Gum (And) Benzyl Alcohol	Sasol
	2.00	Glycerin U.S.P. Natural 96%	Glycerin	Univar USA Inc.
	1.00	Liposerve™ PP	Phenoxyethanol (and) Methylparaben (And) Ethylparaben (and) Propylparaben (and) Butylparaben (and) Isobutylparaben	Lipo Chemicals
	2	6.00	Salacos 99	Isononyl Isononanoate
2.50		Lipocol® TD-12	Trideceth-12	Lipo Chemicals
2.00		Ceralution® H	Behenyl Alcohol (and) Glyceryl Stearate (and) Glyceryl Stearate Citrate (and) Sodium Dicoocylethylenediamine PEG-15 Sulfate	Sasol
1.75		DC200/200 Fluid	Dimethicone	Dow Corning
1.50		Softisan® 100	Hydrogenated Coco-Glycerides	Sasol
1.00		Lipex Shea	Butyrospermum Parkii (Shea Butter)	Jarchem Industries
0.10		Vitamin E Acetate	Tocopheryl Acetate	BASF
3		25.00	TNP40VTTS	C12-15 Alkyl Benzoate (And) Titanium Dioxide (And) Alumina (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Trisostearate (And) Triethoxycaprylylsilane

100

Manufacturing Procedure

1. Combine Part 1 ingredients and heat to 80°C under propeller mixing.
2. Combine Part 2 ingredients and heat to 80°C. Mix until uniform.
3. Slowly add Part 2 to Part 1 and mix for 15-20 minutes.
4. At 40°C - 45°C, slowly add Part 3 and mix well.
5. Continue cooling to 25°C.

Description

This sprayable sunscreen is an O/W emulsion that combines a vegetable base with Dimethicone and Shea Butter as skin protectants. Kobo's Titanium Dioxide Dispersion, TNP40VTTS, provides this formula with SPF and transparency on the skin.

Notes

Active Ingredient(s)	
Titanium Dioxide	7.80%

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com

December, 2010

KOBO

www.koboproducts.com

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49