

High SPF Sunscreen with SunBoost ATB

Formula KSL-201



Kobo Products - formulations

Part	Percent	Ingredients	INCI Name	Supplier
1	45.90	Deionized Water	Water	
	1.00	Liposorb® L-20	Polysorbate 20	Lipo Chemicals
2	1.50	Propylene Glycol	Propylene Glycol	Symrise
	0.30	KELTROL® CG	Xanthan Gum	CP Kelco
3	15.00	Neo Heliopan® HMS	Homosalate	Symrise
	10.00	Neo Heliopan® OS	Ethylhexyl Salicylate	Symrise
	7.00	Ceraphyl® 368	Ethylhexyl Palmitate	ISP
	5.00	SunBoost ATB	Argania Spinosa Kernel Oil (And) Tocopheryl Acetate (And) Bisabolol	Kobo Products
	3.00	Neo Heliopan® 357	Butyl Methoxydibenzoylmethane	Symrise
	3.00	Lipo® GMS 450	Glyceryl Stearate	Lipo Chemicals
	3.00	Neo Heliopan® BB	Benzophenone-3	Symrise
	2.00	Lipomulse® 165	Glyceryl Stearate (And) PEG-100 Stearate	Lipo Chemicals
	0.50	Lipowax® D	Cetearyl Alcohol (And) Cetareth-20	Lipo Chemicals
	0.50	Covi-ox® T-50	Tocopherol	Cognis Corp.
	0.30	Liposorb® TS	Sorbital Tristearate	Lipo Chemicals
4	1.00	Botanistat PF-64	Phenoxyethanol (and) Caprylyl Glycol (and) Ethylhexylglycerin (and) Hexylene Glycol	DD Chemco
5	1.00	Aculyn™ 44	PEG-150/Decyl Alcohol/SMDI Copolymer	Rohm & Haas

100

Manufacturing Procedure

- In main kettle, combine Part 1 ingredients and heat to 78-80°C.
- Combine Part 2 ingredients and heat to 80°C. Mix until uniform using propeller mixer.
- Add Part 2 to Part 1 and mix until uniform.
- Combine Part 3 ingredients. Heat to 80°C and add to batch with propeller mixing.
- Add Part 4 while cooling.
- Homogenize for approximately 2 minutes at 4000 rpm.
- Add Part 5 to batch.
- Homogenize for approximately 1 minute at 4000 rpm.
- Cool batch to 30°C.

Description

This sunscreen contains Kobo's new SunBoost ATB. This product is a proprietary ratio of antioxidants, anti-irritant and anti-inflammatory agents. In this sunscreen, SunBoost ATB increased the SPF from 40.9 to 54.8.

**The USA limit of Ethylhexyl Salicylate is 5%.
This formula is not for use in USA.

Notes

Active Ingredient(s)	
Homosalate	15.00%
Ethylhexyl Salicylate	10.00%
Butyl Methoxydibenzoylmethane	3.00%
Benzophenone-3	3.00%

SPF testing: in vivo on 3 subjects

Kobo Products, Inc.

3474 South Clinton Avenue, South Plainfield, NJ 07080 - USA
tel: +1 - 908-757-0033 fax: +1 - 908-757-0905 info@koboproductsinc.com



www.koboproducts.com

August, 2011

Formulations

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

Use of Products

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Limitation of Liability

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

The Powder & Dispersion Specialist

KOBO
www.koboproducts.com

Kobo Products, Inc.

3474 South Clinton Avenue
South Plainfield, NJ 07080 - USA
tel : +1 - 908-757-0033
fax : +1 - 908-757-0905

Kobo Products SAS

Rue Buissonnière. BP 67660
31676 Labege Cedex - FRANCE
tel : +33 - (0)5-62-88-77-40
fax : +33 - (0)5-62-88-77-49