

PRODUCT SPECIFICATIONS

W60BBNFAP

INCI Name: Iron Oxides (C.I. 77499) (And) Water (And) Ammonium Polyacrylate

Test ID	Test Name	Specification	Test Methods
001A	Appearance	Black viscous liquid, TMS	Visual
002A	Odor	Characteristic, TMS	Organoleptic
004A	Viscosity, cPs @ 25C	Min : 50000 - Max : 200000	Brookfield Viscometer
007A	Specific Gravity, @25C	Min : 1.80 - Max : 2.00	Weight per Gallon Cup
012B	Microbiology	<100 cfu/g; No Pathogens	Current USP Microbial Limit Test
017A	Loss On Ignition, %	Min : 37 - Max : 41	CTFA method E17-2 (3hrs@800C)
027F	Arsenic, ppm	Min : 0 - Max : 3	AAS
029H	Lead, ppm	Min : 0 - Max : 10	AAS
031C	Mercury, ppm	Min : 0 - Max : 3	AAS
877X	Base pigments	Iron oxide meets 21CRF requirement	Tested by supplier

If you have any questions about the information contained within this document, please contact Kobo's QC department extension 7113 or 7106.

Aug. 2011