

## PRODUCT SPECIFICATIONS

Product: ASO-I2

INCI Name: Aluminum Starch Octenylsuccinate (And) Isopropyl Titanium Triisostearate

<u>Test ID</u>	<u>Test Name</u>	<u>Specification</u>			<u>Test Method</u>
		<u>Min</u>	<u>/</u>	<u>Max</u> / <u>Text</u>	
001A	Appearance	Off White Powder			Visual
002A	Odor	Slightly Waxy			Organoleptic
010B	Loss on Drying, %	0.00		9.00	Moisture Balance: 15 min @ 80°C
012B	Microbiology	Total bacterial count < 100/g (ml); Yeast and mold < 100/g (ml); No gram negative or positive			Current USP Microbial Limit Test
027G	Arsenic, ppm	0		3	CTFA Method F 1-1, Silver Diethyldithiocarbamate
029B	Lead, (as Pb), ppm	0		10	Weak Acid Extraction AA Method
033B	Hydrophobicity	Float 0.5g on 50 ml of water for more than 1 hour.			Float powder on water at room temperature
037A	Oil Absorption, g. / 100g.	35		50	ASTM Method D281-84
038A	Apparent Density, gm/cbi	3.00		9.00	CTFA Method C8-2, Scott Volumeter
	* Notes on Storage	Store under dry conditions and keep containers closed.			
	* Note	---			

Patent # 4,877,604

If you have any questions about the information contained within this document, please contact Stephanie Fiallos, tel +1 (908) 941-9108.

Jan. 2024