



KBL-042-AP

Creamy Glow Bar for Cheeks

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
35.90	T.I.O.	Triethylhexanoin	Nisshin Oillio
10.00	COSMOL™ 222	Diisostearyl Malate	Nisshin Oillio
10.00	KF-96A-10CS	Dimethicone	Shin Etsu
7.50	KOBOGUARD® NATURAL 3000-CCT70	Glyceryl Hydrogenated Rosinate (And) Caprylic/Capric Triglyceride	Kobo Products
2.00	COSMOL™ 182V	Sorbitan Sesquiossearate	Nisshin Oillio
0.60	Symdiol 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
Part 2			
4.00	GMS-TTB4	Mica (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxylethyl Dimethicone	Kobo Products
1.60	BTD-TTB2	Titanium Dioxide (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxylethyl Dimethicone	Kobo Products
0.40	RED 28AL C-TTB2	Red 28 Lake (CI 45410) (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxylethyl Dimethicone	Kobo Products
Part 3			
6.00	KOBOGUARD® HRPC	Hydrogenated Polycyclopentadiene (And) Polyethylene (And) Copernicia Cerifera (Carnauba) Wax (And) Tocopherol	Kobo Products
4.00	PERFORMA SW-87	Synthetic Wax	Nikko Chemicals
4.00	PM WAX 82	Polyethylene (And) Microcrystalline Wax	Toray/Kobo Products
2.00	CERESIN #820	Ceresin	Nikko Rica Corporation
Part 4			
7.00	EXCEBEADS™ CS-725	Silica	Tokuyama/Kobo Products
3.00	KOBOPEARL® EF-8	Mica (And) Titanium Dioxide (And) Barium Sulfate	Kobo Products
2.00	KTZ® CLASSIC WHITE	Mica (And) Titanium Dioxide	Kobo Products
100.00			

Description:

A buttery soft cream blush stick that imparts a light veil of glossy, gleaming colour. The combination of Titanium Dioxide and Red 28 Lake TTB-treated pigments disperse well in dimethicone and ester oils to give a pop of pink colour. KOBOGUARD® NATURAL 3000-CCT70 is a natural oil soluble film former that enhances the longevity of the formula on the skin. KOBOGUARD® HRPC is a wax-resin composite that enhances skin adhesion for longer wear. PM WAX 82 provides structure to the stick. EXCEBEADS™ CS-725 is non-porous silica microsphere that gives a smooth finish. GMS-TTB4 is a surface treated mica that imparts a soft and creamy feel. KOBOPEARL® EF-8 and KTZ® CLASSIC WHITE are pearlescent pigments that contribute to the beautiful glowy effect.

Manufacturing Procedure:

1. Combine Part 1 ingredients until homogeneous.
2. Add Part 2 and disperse until the color is homogeneous.
3. Add Part 3 and heat up to 95-100°C while mixing until the waxes are fully melted.
4. Add Part 4 and mix until homogeneous using a propeller mixer.
5. Pour into containers at 85-90°C and cool at RT.



KOBO
www.koboproducts.com

July, 2024

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com