



KCC-016A-BR

High Coverage Concealer

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
22.00	FAS65UTB	Titanium Dioxide (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate Ozokerite	Kobo Products
8.00	TECWAX OZOQUERITA		Cosmotec
7.00	COSMOL™ 43V	Polyglyceryl-2 Triisostearate	Ikeda/Kobo Products
6.75	FAS50YTB	Iron Oxides (CI 77492) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
6.00	SALACOS® 99	Isononyl Isononanoate	Ikeda/Kobo Products
6.00	KOBOGUARD® 5400 IDD	Hydrogenated Polycyclopentadiene (And) Isododecane	Kobo Products
5.00	CXG-1104	Dimethicone (And) Dimethicone/Vinyl Dimethicone Crosspolymer	Avantor/Kobo Products
5.00	DC 556	Phenyl Trimethicone	Dow Corning
4.00	PM WAX 82	Polyethylene (And) Microcrystalline Wax	Kobo Products
4.00	Bentone Gel® VS5-PCV	Cyclopentasiloxane (And) Disteardimonium Hectorite (And) Propylene Carbonate	Cosmotec
2.00	Tecwax Abelha	Beeswax	Cosmotec
1.00	FAS65RTB	Iron Oxides (CI 77491) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
0.25	FAS70BTB	Iron Oxides (CI 77499) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
Part 2			
10.00	DAIMICBEAZ CM-1157	HDI/Trimethylol Hexyllactone Crosspolymer (And) Silica Silylate	Kobo Products
9.00	Permethyl® 99A	Isododecane	Cosmotec
4.00	MSS-500/H	Silica	Kobo Products
100.00			

Description:

This concealer features FAS dispersions that contain pigments treated with TTB, that makes them super-dispersible in both silicones and esters, dispersed in D5. KOBOGUARD® 5400 IDD forms a water-resistant film that offers long wear to this formulation. SALACOS® 99 is a light ester that increases spreadability. PM WAX 82 is a combination of waxes for formula structure. COSMOL™ 43V acts as pigment dispersant. CXG-1104 is an elastomer gel that contributes to soft focus and give a velvety after feel with matte effect. MSS-500/H is a silica microsphere that helps with oil control. DAIMICBEAZ CM-1157 is also a microsphere that gives a creamy feel and helps with soft focus.

Manufacturing Procedure:

1. Combine Part 1 and heat to 85°C. □
2. Mix until complete dispersion of the pigments. □
3. Cool to 70°C and add Part 2. Mix until powders are completely dispersed. □
5. Pour into components at 65°C.



KOBO
www.koboproducts.com

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

*The Powder & Dispersion
Specialist*



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com