



KCP-043A-EU  
Bouncy Foundation

%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
20.00	<b>INBP70U</b>	Titanium Dioxide (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	<b>Kobo Products</b>
16.20	<b>DUB PO</b>	Ethylhexyl Palmitate	Stéarinerie-Dubois
12.00	<b>SERICITE GMS-4C</b>	Mica	<b>Kobo Products</b>
10.00	<b>TALC AJM</b>	Talc	<b>Kobo Products</b>
10.00	<b>DUN ININ</b>	Isononyl Isononanoate	Stéarinerie-Dubois
5.00	<b>INBP55EY</b>	Iron Oxides (CI 77492) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate	<b>Kobo Products</b>
3.00	<b>Ozokerite Wax Pastilles SP-1021P</b>	Ozokerite Wax	Strahl & Pitsch/Rossow
3.00	<b>KOBOGUARD® 5400 IDD</b>	Hydrogenated Polycyclopentadiene (And) Isododecane	<b>Kobo Products</b>
2.50	<b>Performalene® 400</b>	Polyethylene	New Phase
2.00	<b>COSMOL™ 168ARV</b>	Dipentaerythrityl Hexahydroxystearate/Hexastearate/Hexarosinate	Ikeda
1.00	<b>INBP75EB</b>	Iron Oxides (CI 77499) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate	<b>Kobo Products</b>
0.30	<b>INBP75ER</b>	Iron Oxides (CI 77491) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate	<b>Kobo Products</b>
<b>Part 2</b>			
10.00	<b>ASO-I2</b>	Aluminum Starch Octenylsuccinate (And) Isopropyl Titanium Triisostearate	<b>Kobo Products</b>
5.00	<b>DSPCS/20N-I2</b>	Silica (And) Ethylene/Methacrylate Copolymer (And) Isopropyl Titanium Triisostearate	<b>Kobo Products</b>
100.00			

### Description:

This bouncy, powdery foundation features INBP pigmentary dispersions, that ease the manufacturing process and offer more vivid, fully developed colors. KOBOGUARD® 5400 IDD is an oil phase film former that offers water resistance and long wear. SERICITE GMS-4C, TALC AJM and ASO-I2 give a creamy texture. DSPCS/20N-I2 is a microsphere complex that gives the bouncy effect and powdery, light weight feel.

### Manufacturing Procedure:

1. Add Part 1 ingredients and heat while mixing to 85°C until the pigments are fully dispersed and waxes are completely melted.
2. Add Part 2 and mix to incorporate the powders.
3. Mix at low speed to remove air bubbles.
4. Pour into components at 80°C.



## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)