



KEL-041-EU

Foil Effect Transferproof Eyeliner

Green Grey

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
56.75	Deionised Water	Aqua	x
0.50	Symsave H	Hydroxyacetophenone	Symrise
0.50	Symdiol 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
0.10	Dissolvine GL- 47-S	Glutamic acid, N,N-diacetic acid, tetrasodium salt	Nouryon
Part 2			
3.00	Carbopol Aqua SF-1 OS Polymer	Acrylates Copolymer	Lubrizol
Part 3			
3.00	Neosolue™- Aqua S	Polyglyceryl-10 Eicosanedioate/ Tetradecanedioate (And) Glycerin	Nippon Fine Chemical/Kobo Products
Part 4			
1.15	Sodium Hydroxide Solution (10%)	x	x
Part 5			
10.00	KOBOGUARD® 50AMP-G	Acrylates/Ethylhexyl Acrylate Copolymer (And) Water (And) Aminomethyl Propanol	Kobo Products
Part 6			
12.50	K-RAY® SM Molten Metal	Synthetic Fluorophlogopite (And) Silica (And) Titanium Dioxide (And) Iron Oxides (CI 77491)	Kobo Products
6.25	K-RAY® MagBronze	Mica (And) Iron Oxides (CI 77491) (And) Iron Oxides (CI 77499)	Kobo Products
6.25	KOBOPEARL® PERPETUAL GoldGreen	Synthetic Fluorophlogopite (And) Silica (And) Titanium Dioxide	Kobo Products
100.00			

Description:

A very easy formula which is waterbased and also transferproof. We have combined our Kobo Pearlescent pigments, K-RAY® MagBronze, K-RAY® SM Molten Metal and KOBOPEARL® PERPETUAL GoldGreen, to create a metallic foil like effect on application to the skin. Different pearls of different particles have come together to give this effect. The smaller particle size pearl forms the base and provides good coverage. The larger particle size pearl gives that intense reflection we see on the skin. There is Neosolue™-AquaS which is a unique watersoluble ester that has excellent waterholding capacity too. Lastly there is KOBOGUARD® 50AMP-G to give the formula a transferproof effect.

Manufacturing Procedure:

1. Mix Part 1 ingredients and heat upto 50 degrees C to dissolve Symsave H.
2. Add Parts 2 and 3 one by one and mix well.
3. Adjust the pH to 6.7-7 by adding NaOH (10%) Solution.
4. Add Part 5, mix. Add Part 6 and mix thoroughly.



KOBO
www.koboproducts.com

September, 2023

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

*The Powder & Dispersion
Specialist*



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com