



KEL-042-EU

Transfer-Proof Gel Eyeliner

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
33.00	Purotan IDD	Isododecane	Lanxess
23.00	BWBO-ASGP3	Iron Oxides (CI 77499) (And) Stearoyl Glutamic Acid (And) Polyhydroxystearic Acid	Kobo Products
5.00	PMLVP20CB	Isododecane (And) Isohexadecane (And) Black 2 (And) Lecithin (And) Polyhydroxystearic Acid (And) Ethylene/Propylene/Styrene Copolymer (And) Butylene/Ethylene/Styrene Copolymer	Kobo Products
Part 2			
2.00	Garamite 7308 XR	Quaternium-90 Sepiolite (and) Quaternium-90 Montmorillonite	Eckart
Part 3			
10.00	Sunflower Wax	Helianthus Annuus (Sunflower) Seed Wax	Koster Keunen
2.00	Waxenol 810	Myristyl Myristate	Alzo International
2.00	Glucate SS	Methyl Glucose Sesquistearate	Lubrizol
Part 4			
21.50	KOBOGUARD® NATURAL 3000-NDA70	Glyceryl Hydrogenated Rosinate (And) C9-12 Alkane	Kobo Products
1.50	MSS-500/3H	Silica	Kobo Products
100.00			

Description:

This intense black gel eyeliner is an anhydrous, solvent based, hot pour formula created to be applied with a fine eyeliner brush. This improved formula has a better pay off and shorter drying time as it contains KOBOGUARD® NATURAL 3000-NDA 70, which is a natural origin volatile liquid film former that imparts even application and extended wear-time. BWBO ASGP3, a superdispersible black iron oxide and PMLVP20CB, a 20% dispersion of Carbon Black in volatile Isododecane are used to give the intense black colour. The microsphere MSS-500/3H is an oil absorbing hollow silica which is utilized to help improve payoff and provide a smooth and creamy application.

Manufacturing Procedure:

1. Prepare Part 1 and homogenise under Silverson Square head attachment for around 1 minute.
2. Add Part 2 and homogenise until smooth.
3. Add Part 3 and heat up to 85°C. Cover it to prevent loss.
4. Add Part 4 and mix until homogenous.
5. Bring back to 90°C and pour into pots.



KOBO
www.koboproducts.com

December, 2023

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com