



KLF-220-BR
Cover Drops

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
20.00	Deionized Water	Water	
2.00	Glicerina	Glycerin	Mapric
0.80	Cloreto de Sódio	Sodium Chloride	CAAL
Part 2			
25.00	FAS65UTB	Titanium Dioxide (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
14.00	Xiameter® PMX- 0245	Cyclopentasiloxane	Dow Corning
10.00	Xiameter® PMX-200 Silicone Fluid 20CS	Dimethicone	Dow Corning
8.00	SALACOS® 99	Isononyl Isononanoate	Ikeda/Kobo Products
8.00	FAS50YTB	Iron Oxides (CI 77492) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
4.00	MST-547	Polymethylsilsequioxane	Kobo Products
2.50	ABIL® EM 90	Cetyl PEG/PPG-10/1 Dimethicone	Evonik
2.00	Bentone Gel® VS 5 PCV	Cyclopentasiloxane, Disteardimonium Hectorite, Propylene Carbonate	Elementis/Cosmotec
1.50	FAS65RTB	Iron Oxides (CI 77491) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
1.00	Glucate™ DO Emulsifier	Methyl Glucose Dioleate	Lubrizol
0.80	Cosmoguard® SL CP	Phenoxyethanol (and) Ethylhexylglycerin	Cosmotec
0.40	FAS70BTB	Iron Oxides (CI 77499) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Disteardimonium Hectorite (And) Tocopheryl Acetate	Kobo Products
100.00			

Description:

This foundation has superior coverage and can be added into another product to give a touch of color to it. It features Kobo's pigmentary dispersions FAS, a hybrid treated pigment that offers nice feel and affinity with the skin, dispersed in D5 silicone. This dispersion allows a high concentration of pigments in the formula without increasing viscosity, and helps maintain spreadability. It also has SALACOS® 99, a light ester, and MST-547, a silicone microsphere that gives a nice feel and helps with soft focus.

Manufacturing Procedure:

1. Mix Part 2 until complete dispersion of the pigments.
2. Combine Part 1 and add to Part 2 while mixing.



FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com