



KLF-273-BR

Liquid Foundation with Natural ASG Treatment

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
34.00	Deionized Water	Water	
2.00	Glicerina Bi-Destilada U.S.P.	Glycerin	Synth
1.00	Sulfato de Magnésio	Magnesium Sulphate	Sintética
Part 2			
15.00	Emogreen™ L15	C15-19 Alkane	Seppic
12.60	BTD-ASG2	Titanium Dioxide (And) Stearoyl Glutamic Acid	Kobo Products
12.00	Tegosoft® CT	Caprylic/Capric Triglycerides	Cosmotec
5.00	PolyAqual™ OS2	Polyglyceryl-2 Oleate (and) Polyhydroxystearic Acid (and) Polyglyceryl-2 Stearate	Innovacos
5.00	COSMOL™ 43V	Polyglyceryl-2 Triisostearate	Ikeda/Kobo Products
2.50	Olivem® 900	Sorbitan Olivatate	Grant Industries, Inc.
2.00	Estearato de Magnésio	Magnesium Stearate	Sintética
1.93	BYO-ASG3	Iron Oxides (CI 77492) (And) Stearoyl Glutamic Acid	Kobo Products
1.50	Tecwax Abelha	Beeswax	Cosmotec
1.00	TEGIN® M Pellets	Glyceryl Stearate	Evonik
0.34	BRO-ASG3	Iron Oxides (CI 77491) (And) Stearoyl Glutamic Acid	Kobo Products
0.12	BBO-ASG3	Iron Oxides (CI 77499) (And) Stearoyl Glutamic Acid	Kobo Products
Part 3			
1.00	Lexgard® Natural	Glyceryl Caprylate (and) Glyceryl Undecylenate	Inolex
Part 4			
2.00	CARESS® BN15	Boron Nitride	Bent Tree/Kobo Products
1.00	MSS-500/3N	Silica	Kobo Products
100.00			

Description:

This foundation offers coverage and radiance. It features Kobo's Ecocert/Cosmos approved Amino Acid (ASG) treated pigments that impart a creamy feel. CARESS® BN15 offers softness and creaminess, while MSS-500/3N contributes to soft focus. COSMOL™ 43V is a natural origin ester with superior oxidative stability that improves feel.

Manufacturing Procedure:

1. Combine Part 1 and heat to 80°C.
2. Combine Part 2. Mix until homogeneous and heat to 80°C.
3. Add Part 1 slowly and under stirring to Part 2 and mix until homogeneous.
4. Add Part 3 and mix until homogeneous.
5. Cool to 30-35°C and add Part 4. Mix until homogeneous.
5. Cool to 25°C under stirring.



KOBO
www.koboproducts.com

June, 2019

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com