



KLF-296

# Matte Perfection Foundation

%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
48.00	Deionized Water	Water	
2.50	GLYCERIN U.S.P. F.C.C. 96%	Glycerin	Ruger Chemical
0.75	Phenoxetol™	Phenoxyethanol	Clariant
0.60	Sodium Chloride	Sodium Chloride	Morton Salt
0.10	Potassium Sorbate	Potassium Sorbate	Jeen International
<b>Part 2</b>			
10.05	<b>FADM65UTB</b>	Titanium Dioxide (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Trisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Tocopheryl Acetate	<b>Kobo Products</b>
7.75	Permethyl® 99A	Isododecane	Presperse
6.00	XIAMETER™ PMX-200 Silicone Fluid 50 cSt	Dimethicone	Dow Chemical
4.00	LexFeel® 7	Neopentyl Glycol Diheptanoate	Inolex
4.00	Abil® EM 90	Cetyl PEG/PPG-10/1 Dimethicone	Evonik
3.00	<b>KOBOGUARD® MQ60DM</b>	Trimethylsiloxy silicate (And) Dimethicone	<b>Kobo Products</b>
3.00	<b>CXG-1104</b>	Dimethicone (And) Dimethicone/Vinyl Dimethicone Crosspolymer	<b>Avantor/Kobo Products</b>
1.80	<b>FADM55YTB</b>	Iron Oxides (CI 77492) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Trisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Tocopheryl Acetate	<b>Kobo Products</b>
1.50	KF-6050	Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone	Shin-Etsu
0.50	<b>SUMECTON SAN-P</b>	Quaternium-18 Hectorite	<b>Nikko/Kobo Products</b>
0.30	<b>FADM55RTB</b>	Iron Oxides (CI 77491) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Trisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Tocopheryl Acetate	<b>Kobo Products</b>
0.15	<b>FADM60BTB</b>	Iron Oxides (CI 77499) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Isopropyl Titanium Trisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Tocopheryl Acetate	<b>Kobo Products</b>
<b>Part 3</b>			
0.50	PROPYLENE CARBONATE	Propylene Carbonate	Aldrich Chemical Co.
<b>Part 4</b>			
2.50	<b>MSS-500/H</b>	Silica	<b>Kobo Products</b>
2.00	<b>BPD-500</b>	HDI/Trimethylol Hexyllactone Crosspolymer (And) Silica	<b>Kobo Products</b>
<b>Part 5</b>			
1.00	Euxyl® PE 9010	Phenoxyethanol (And) Ethylhexylglycerin	Schulke & Mayr
<b>100.00</b>			

## Description:

This lightweight, silky-matte finish foundation gives sheer, breathable and buildable coverage with moisturizing properties. BPD-500 creates a natural blurring effect that minimizes the look of lines and wrinkles while mattifying skin. MSS-500/H is responsible for enhanced feel and sebum absorption. FADM dispersions provide the formula's shade. SUMECTON SAN-P helps thicken and stabilize the emulsion. KOBOGUARD® MQ60DM is used to improve wear. CXG-1104 is a silicone elastomer gel that gives a silky, powdery feel and velvet effect.

## Manufacturing Procedure:

1. Propeller mix Part 1 until uniform. Room temperature process.
2. Homogenize Part 2. Add Part 3 to Part 2.
3. Add Part 1 to Parts 2 and 3 slowly under the homogenizer.
4. Sprinkle in Part 4. Mix until homogeneous.
5. Add Part 5. Homogenize high for 2 minutes.



**KOBO**  
www.koboproducts.com

June, 2020

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)

[www.koboproducts.com](http://www.koboproducts.com)