



KLF-353-EU

Easy-Breezy Tinted Moisturizer

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
6.00	GLW75PFSP	Titanium Dioxide (And) Water (And) Glycerin (And) Sodium Polyacrylate (And) Cellulose Gum	Kobo Products
4.00	GLW45GYSP	Iron Oxides (CI 77492) (And) Water (And) Glycerin (And) Sodium Polyacrylate (And) Cellulose Gum	Kobo Products
4.00	Glycerin	Glycerin	Univar
0.70	GLW55GRSP	Iron Oxides (CI 77491) (And) Water (And) Glycerin (And) Sodium Polyacrylate (And) Cellulose Gum	Kobo Products
0.25	GLW60GBSP	Iron Oxides (CI 77499) (And) Water (And) Glycerin (And) Sodium Polyacrylate (And) Cellulose Gum	Kobo Products
Part 2			
59.45	P. Water	Aqua	x
1.60	Carbopol Aqua SF-1 OS Polymer	Acrylates Copolymer	Lubrizol
0.60	Euxyl PE 9010	Phenoxyethanol (And) Ethylhexylglycerin	Schulke
0.40	Symdiol 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
Part 3			
4.00	Surfacare ARC 165	Glyceryl Stearate (and) Peg-100 Stearate	Surfachem
4.00	Dub ININ	Isonoyl Isononanoate	Stearinerie Dubois
3.00	Dermol 818	Ethylhexyl Stearate	Alzo International
3.00	Dub B1215	C12-15 Alkyl Benzoate	Stearinerie Dubois
3.00	Witarix MCT 60/40	Caprylic/Capric Triglyceride	Fisher Scientific
2.00	Dermofat 4919	Stearic Acid	Alzo International
1.50	Lanette O	Cetearyl Alcohol	BASF
1.50	Waxenol 816	Cetyl Palmitate	Alzo International
1.00	BRB DM 100	Dimethicone	BRB International
100.00			

Description:

This is a simple Oil-in-Water Tinted Moisturizer that makes use of Kobo's Dispersion Technology. The GLW dispersions used in this formula are aqueous dispersions in glycerin and water. They are a simple way to incorporate colour and skin tone evening effects into skin care formulas that are typically o/w emulsions.

Manufacturing Procedure:

1. Prepare Part 1 and set aside.
2. Prepare Parts 2 and add to Part 1 and heat to 85 degrees C.
3. Prepare Part 3 and heat to 85 degrees C
4. Add Part 3 to Part 1+2 to emulsify under homogeniser.
5. Move to propeller mixer, cool with gentle stirring. Adjust pH to 6.8 with NaOH solution when cooled to RT.



KOBO
www.koboproducts.com

December, 2023

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

*The Powder & Dispersion
Specialist*



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com