



KPR-003A-EU

# Even Out & Illuminate Putty Primer SPF



%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
13.45	DUB Zenoat	Propanediol dicaprylate	Stearinerie Dubois
7.00	INP70ZSI	Zinc Oxide (And) Isononyl Isononanoate (And) Polyhydroxystearic Acid (And) Triethoxycaprylylsilane	Kobo Products
7.00	TNP65MZS	Zinc Oxide (And) C12-15 Alkyl Benzoate (And) Polyhydroxystearic Acid (And) Triethoxycaprylylsilane	Kobo Products
6.50	MSS-500/N	Silica	Kobo Products
5.00	CARESS® BN06	Boron Nitride	Kobo Products
3.75	KF-6038	Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone	Shin Etsu
2.00	KSG-320	Isododecane (And) PEG-15/Lauryl Dimethicone Crosspolymer	Shin Etsu
1.50	MSS-500/3N	Silica	Kobo Products
<b>Part 2</b>			
4.00	Beeswax Yellow	Beeswax	Koster Keunen
4.00	Akofine P	Hydrogenated Vegetable Oil	AAK
<b>Part 3</b>			
3.00	Purolan IDD	Isododecane	Lanxess
3.00	KOBOGUARD® NATURAL 2063-NDA	Glyceryl Hydrogenated Rosinate (And) C9-12 Alkane	Kobo Products
<b>Part 4</b>			
3.00	Purolan IDD	Isododecane	Lanxess
2.00	KTZ® PEACH-11S2	Mica (And) Titanium Dioxide (And) Iron Oxides (CI 77491) (And) Triethoxycaprylylsilane	Kobo Products
<b>Part 5</b>			
28.00	Deionised Water	Aqua	x
5.00	Butylene Glycol	Butylene Glycol	Univar
1.00	Mg Sulphate Heptahydrate	Magnesium Sulphate Heptahydrate	Fisher Scientific
0.40	Symdiol 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
0.40	Symsave H	Hydroxyacetophenone	Symrise
100.00			

## Description:

This is a hot pour, w/o emulsion system that has a putty-like texture. This formula can be applied to the face evenly with a sponge to give a thin layer for an instantly evened out and illuminated look. If applying foundation on top, leave it to set for a few minutes. A combination of very small particle size (INP70ZSI) and medium particle size (TNP65MZS) Zinc Oxide dispersions provide UV protection. MSS-500/N, CARESS® BN06 and MSS-500/3N are responsible for the skin tone evening and smoothing effect. Our natural film former KOBOGUARD® NATURAL 2063-NDA, is added to give better adhesion to the skin. KTZ® PEACH-11S2, a natural mica substrate based skin tone pearlescent pigment with silane treatment, which provides the subtle illumination.

## Manufacturing Procedure:

1. Prepare Part 1 and homogenize until smooth.
2. Add Part 2 to Part 1 and heat until the waxes are melted.
3. Add Part 3 and get T back up 75°C.
4. Prepare a slurry of the KTZ® PEACH 11S2 in IDD by adding the IDD in parts to the pearl and mixing to make sure there are no lumps.
5. Prepare Part 5 and heat up to 80°C.
6. Emulsify under propeller stirrer, 800 rpm until all the Part 4 is taken in.
7. Move to homogenizer (tubular round hole), homogenize for 1.5 minutes at 5000 rpm. Then turn the speed down to 1500 rpm and add the pearl slurry. Mix till homogenous.
6. Pour at 60°C and refrigerate for 15 minutes to set.

## Active Inaredient(s):

Zinc Oxide 9.10%

## Testing:

SPF: in vivo on 5 subjects  
UVA-PF: in vitro method  
CW: FDA method



**KOBO**  
www.koboproducts.com

November, 2022

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

*The Powder & Dispersion  
Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)