



KSL-378A-EU

# Tinted Sunscreen with IR Protection



%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
28.05	Deionized Water	Water	
1.50	Sodium Chloride	Sodium Chloride	Fisher
<b>Part 2</b>			
4.00	Glycerin	Glycerin	Interchimie
0.25	Keltrol® CG	Xanthan Gum	CP Kelco
<b>Part 3</b>			
19.00	<b>HBQP75FZS</b>	Zinc Oxide (And) Butyloctyl Salicylate (And) Polyhydroxystearic Acid (And) Triethoxycaprylylsilane	<b>Kobo Products</b>
14.00	<b>GCP45TV</b>	Caprylic/Capric Triglyceride (And) Titanium Dioxide (And) Stearic Acid (And) Aluminum Hydroxide (And) Polyhydroxystearic Acid	<b>Kobo Products</b>
10.00	Tegosoft® AC	Isoamyl Cocoate	Evonik
5.00	<b>TiO2-IR300-ASG3</b>	Titanium Dioxide (And) Stearoyl Glutamic Acid	<b>Kobo Products</b>
4.00	Tegosoft® TN	C12-15 Alkyl Benzoate	Evonik
3.00	<b>SunBoost ATB</b>	Argania Spinosa Kernel Oil (And) Tocopheryl Acetate (And) Bisabolol	<b>Kobo Products</b>
1.50	<b>GCB60USG</b>	Titanium Dioxide (And) Caprylic/Capric Triglyceride (And) Isopropyl Myristate (And) Stearoyl Glutamic Acid (And) Stearalkonium Hectorite (And) Trihydroxystearin (And) Propylene Carbonate	<b>Kobo Products</b>
1.00	<b>GCB50YSG</b>	Iron Oxides (CI 77492) (And) Caprylic/Capric Triglyceride (And) Isopropyl Myristate (And) Stearoyl Glutamic Acid (And) Stearalkonium Hectorite (And) Trihydroxystearin (And) Propylene Carbonate	<b>Kobo Products</b>
0.15	<b>GCB65RSG</b>	Iron Oxides (CI 77491) (And) Caprylic/Capric Triglyceride (And) Isopropyl Myristate (And) Stearoyl Glutamic Acid (And) Stearalkonium Hectorite (And) Trihydroxystearin (And) Propylene Carbonate	<b>Kobo Products</b>
0.05	<b>GCB70BSG</b>	Iron Oxides (CI 77499) (And) Caprylic/Capric Triglyceride (And) Isopropyl Myristate (And) Stearoyl Glutamic Acid (And) Stearalkonium Hectorite (And) Trihydroxystearin (And) Propylene Carbonate	<b>Kobo Products</b>
<b>Part 4</b>			
4.00	Dehymuls® PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF
1.00	Olivem® 900	Sorbitan Olivivate	Hallstar
0.50	Lipex® Shea Tris	Shea Butter	AAK
<b>Part 5</b>			
2.00	<b>ASO-I2</b>	Aluminum Starch Octenylsuccinate (And) Isopropyl Titanium Trisostearate	<b>Kobo Products</b>
1.00	Symdiol® 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
<b>100.00</b>			

## Description:

This tinted sunscreen has a gel-like texture and provides UVA/UVB and IR Protection. It features a combination of GCP45TV, a natural dispersion of attenuation grade TiO<sub>2</sub>, and HBQP75FZS, a ZnO dispersion with a booster to optimize UV protection. SunBoost ATB adds anti-inflammatory, anti-irritant and anti-oxidant properties to the formulation, and TiO<sub>2</sub>-IR300-ASG3 provides IR protection. GCB Pigmentary dispersions give a tint to this sunscreen product and ASO-I2 offers a uniform application and creamy after feel.

## Manufacturing Procedure:

1. Pre-mix Part 2 and add to Part 1. Heat to 80°C.
2. Pre-mix Part 3 and mix until homogeneous using a propeller. Add Part 4 to Part 3 and mix while heating to 80°C.
3. Add Parts 1 and 2 to Parts 3 and 4 slowly while propeller mixing.
4. Homogenize at 7000 rpm for 5 minutes.
5. Add Part 5 and mix well with the propeller.
6. Cool to room temperature with continued propeller mixing.

## Active Inaredient(s):

Titanium Dioxide	5.30%
Zinc Oxide	13.70%

## Testing:

SPF: in vivo on 3 subjects  
 UVA-PF: in vivo on 3 subjects  
 CW: FDA method



**KOBO**  
 www.koboproducts.com

July, 2018

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)

[www.koboproducts.com](http://www.koboproducts.com)