



Microspheres & Surface Treated Microspheres China Program

Microspheres are discrete spherical particles ranging in average particle size from 1 to 50 microns. Because of their size and shape, Microspheres are able to **scatter light** to diminish the look of fine lines on the skin. This effect is also known as "optical blurring" or "soft focus". In addition, Microspheres offer a **ball-bearing effect** which will impart finished products with an elegant silky texture, increased payoff, and enhanced slip. This ball-bearing effect promotes better blendability on the skin and a more natural finish. Some microspheres also act as **carriers for oils** and can be used for **sebum control**.



Microsphere Complexes are produced using Kobo's patented technology, Isopropyl Titanium Triisostearate treatment, that covalently bonds two unlike materials, at least one of which being a spherical particle, to yield a complex that has the best **balance of properties** possible. They offer all the benefits of microspheres while bringing a lightweight feel to many other product forms.

Since they can be used in all product forms (powders, anhydrous hot pours, emulsions, etc ...), microspheres and microsphere complexes, whether used individually or in combination, have become indispensable to formulation of state-of-the-art cosmetic products.



Moisturizing Lotion with Microspheres

KFL-010

Part 1

- SF 1528 - Momentive:
Cyclopentasiloxane (and) PEG/PPG-20/15 Dimethicone 11.50%
- SF1202 - Momentive:
Cyclopentasiloxane 8.50%
- SF1214 - Momentive:
Cyclopentasiloxane (and) Dimethicone 7.50%
- Fragrance - Bell Flavors & Fragrances 0.10%

Part 2

- EA-209 - Kobo Products:
Ethylene/Acrylic Acid Copolymer 7.50%

Part 3

- Deionized Water 50.60%
- Dowicil 200 -Dow Chemical:
Quaternium-15 0.10%
- RITAbate 80 - RITA Corp.:
Polysorbate 80 0.20%
- Sodium Chloride 1.00%
- Glycerin 13.00%

Manufacturing Procedure

Use explosion-proof mixers and equipment during batching process

1. Combine Part 1 liquid ingredients into main tank and homogenize for 15 minutes.
2. Sift in EA-209 slowly. Continue homogenization for 15 minutes after complete addition of microsphere.
3. In a side container using propeller agitation, mix Part 3 ingredients until solution is homogenous and clear. Add Part 3 to main tank in quarter parts mixing at least 15-20 minutes between each addition.
Batch temperature will increase while mixing.
4. When the batch is homogenous, fill into appropriate units.


Description

This formula was panel tested and shows a high degree of perceived moisturization, combined with an 'illuminating glow' and 'natural look'. Kobo's EA-209 microspheres are responsible for achieving these effects within a water-in-silicone base.

Specifications

Viscosity: RVTC @ 2.5rpm, 24hr = 312,000cps

Stability: 4 weeks @ 50°C



KOBO

Kobo Products, Inc.
3474 So. Clinton Ave.
So. Plainfield, NJ 07080
USA
tel +1 / (908) 757-0033
fax +1 / (908) 757-0905

Kobo Products, SAS
Rue Buissonniere, BP67660
31676 Labege Cedex
France
tel +33 / (0)5.62.88.77.40
fax +33 / (0)5.62.88.77.49

Microspheres

	Trade Name	INCI Name	Size (µm)	Oil Abs (g/100g)	Refract Index	Density (g/in ³)
Polymer Microspheres	BPD-500W	HDI/Trimethylol Hexyllactone Crosspolymer (And) Silica	10	60	1.52	8.2
	CL-2080*	Polyethylene	12	60	1.51	4.0
	EA-209*	Ethylene/Acrylic Acid Copolymer	10	60	1.51	2.6
	Flo-Beads SE-3107A (Softbeads A)*	Ethylene/Methacrylate Copolymer	11	62	1.49	3.1
	Flo-Beads SE-3207B (Softbeads B)*	Ethylene/Methacrylate Copolymer	11.6	62	1.49	3.9
	TR-1	Nylon-6	13	112	1.53	4.0
	TR-2	Nylon-6	20	141	1.53	3.5
	SP-10	Nylon-12	10	60	1.53	6.2
	SP-500	Nylon-12	5	60	1.53	4.7
	MSP-822	Polymethyl Methacrylate	8.8	60	1.49	6.2
	MSP-825	Methyl Methacrylate Crosspolymer	8	57	1.49	6.7
	MST-203	Polymethylsilsesquioxane	2.9	50	1.41	6.5
	MST-547	Polymethylsilsesquioxane	5	54	1.42	7.0
	MSP-930	Methyl Methacrylate Crosspolymer	9	210	1.49	5.0
Silica Microspheres	MSS-500	Silica	12	133	1.47	5.8
	MSS-500W	Silica	12	119	1.47	6.2
	MSS-500/N	Silica	12	38	1.47	6.7
	MSS-500/H	Silica	12	300	1.47	3.1
	MSS-500/3	Silica	3	135	1.47	3.5
	MSS-500/3N	Silica	3	33	1.47	6.1
	MSS-500/3H	Silica	3	300	1.47	1.3
	MSS-500/3H4	Silica	3	318	1.47	1.2
	MSS-500/20N	Silica	20	40	1.47	12.9
	Silica Shells	Silica	3	N.A.	1.47	0.8
Surface-treated Microspheres	BPA-5I5	Polymethyl Methacrylate (And) Isopropyl Titanium Triisostearate	10	50	-	3.8
	<small>New</small> Cellulo Beads D-10-PC2**	Cellulose (And) Hydrogenated Lecithin	11	35	1.49	5.1
	MSS-510-11SH	Silica (And) Triethoxycaprylylsilane	7	110	-	5.3
	MSS500-NS5	Silica (And) Methoxy Amodimethicone/Silsesquioxane Copolymer	12	105	N.A.	8.5
	POMP 610-LS15	Nylon-6 (And) Lithium Stearate	11	89	-	3.3
	Silica Shells-SH	Silica (And) Methoxy Amodimethicone/Silsesquioxane Copolymer	3	500	N.A.	0.7

** Natural Treatment

*EA-209 & CL-2080 are heat sensitive and will gel if heated above 70°C. Softbeads A & B have a softening point of 80°C and should be added under this temperature.

This chart was prepared to assist in formulating with Microspheres and Microsphere Complexes. The information contained herein is believed to be accurate at the time of printing, but should not be used as a substitute for product specification sheets.

N.A. = Not available at the time of printing

KOBO

www.koboproducts.com