


Pigmentary Grade Dispersions

Pigmentary grade Titanium Dioxides and Iron Oxides (red, yellow & black) are widely used for color cosmetics and have primary particle sizes greater than 0.2 microns. Pigmentary grade pigments also tend to aggregate in formulas. Color strength, gloss and opacity are related to the particle size of the aggregates. Theoretically, the color intensity is highest (or more opaque) when the dispersion particle size (in formulas) is closest to their primary particle size. The use of Kobo dispersions of pigmentary grades of Iron Oxides, Titanium Dioxide, organic and other pigments offer full color development, better stability, improved gloss and ease of use.



*Dispersions in Synthetic
Wax*



Dispersions in Abil® WE-09

KOBO

Kobo Products, Inc.
3474 So. Clinton Ave.
So. Plainfield, NJ 07080
USA
tel +1 / (908) 757-0033
fax +1 / (908) 757-0905

Kobo Products, SAS
Rue Buissonniere, BP 67660
31676 Labège Cedex
France
tel +33 / (0)5.62.88.77.40
fax +33 / (0)5.62.88.77.49

www.koboproducts.com

Dispersions in Esters

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠		
DIDW50DF	Titanium Dioxide (And) Diisopropyl Dimer Dilinoleate (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) C9-15 Fluoroalcohol Phosphate (And) Alumina	Preferred Use: Emulsions (W/O, W/S)	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, blush			
DIDW40DRF	Iron Oxides (C.I. 77491) (And) Diisopropyl Dimer Dilinoleate (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) C9-15 Fluoroalcohol Phosphate					
DIDW45DYF	Iron Oxides (C.I. 77492) (And) Diisopropyl Dimer Dilinoleate (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) C9-15 Fluoroalcohol Phosphate			May also be used in: Anhydrous non-volatile and volatile systems	May also be used in (Anhydrous): Eyeshadows, concealers	
DIDW55DBF	Iron Oxides (C.I. 77499) (And) Diisopropyl Dimer Dilinoleate (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) C9-15 Fluoroalcohol Phosphate					
INBP70U	Titanium Dioxide (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	Preferred Use: Anhydrous non-volatile and partially volatile systems	Preferred (Anhydrous): lipsticks, blush and other stick forms			
INBP45R7C	Red 7 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid					
INBP50R33A	Red 33 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate			May also be used in: Emulsions (W/S, W/O, S/W, O/W)	May also be used in (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, emulsion lipsticks and blush	
INBP50R6B	Red 6 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid					
INBP75ER	Iron Oxides (C.I. 77491) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate					
INBP50Y5A	Yellow 5 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid					
INBP50Y6A	Yellow 6 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid					
INBP55EY	Iron Oxides (C.I. 77492) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate					
INBP40B1A	Blue 1 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid					
INBP75EB	Iron Oxides (C.I. 77499) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate					
SW65U	Synthetic Wax (And) Titanium Dioxide (And) Isopropyl Titanium Triisostearate			Preferred Use: Emulsions (W/S, W/O, S/W, O/W)	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, emulsion lipsticks and blush	
SW60ER	Synthetic Wax (And) Iron Oxides (C.I. 77491) (And) Isopropyl Titanium Triisostearate					
SW50EY	Synthetic Wax (And) Iron Oxides (C.I. 77492) (And) Isopropyl Titanium Triisostearate					
SW55EB	Synthetic Wax (And) Iron Oxides (C.I. 77499) (And) Isopropyl Titanium Triisostearate	Anhydrous non-volatile and partially volatile systems	(Anhydrous): Eyeshadows, concealers, lipsticks			1
SW65EBR	Synthetic Wax (And) Iron Oxides (And) Isopropyl Titanium Triisostearate					
SW40R6B	Synthetic Wax (And) Red 6 Lake (And) Isopropyl Titanium Triisostearate					
SW40R7C	Synthetic Wax (And) Red 7 Lake (And) Isopropyl Titanium Triisostearate					
SW30R6	Synthetic Wax (And) Red 6 (And) Isopropyl Titanium Triisostearate	Preferred Use: Anhydrous non-volatile and partially volatile systems	Preferred (Anhydrous): Lipsticks, blush and other stick forms			1
SW30R30A	Synthetic Wax (And) Red 30 Lake (And) Isopropyl Titanium Triisostearate					
SW30R33A	Synthetic Wax (And) Red 33 Lake (And) Isopropyl Titanium Triisostearate		May also be used in (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, emulsion lipsticks and blush			1
SW40Y5A	Synthetic Wax (And) Yellow 5 Lake (And) Isopropyl Titanium Triisostearate	May also be used in: Emulsions (W/S, W/O, S/W, O/W)				
SW40Y6A	Synthetic Wax (And) Yellow 6 Lake (And) Isopropyl Titanium Triisostearate					
SW30B1A	Synthetic Wax (And) Blue 1 Lake (And) Isopropyl Titanium Triisostearate					

1 Not suitable for use in eye area

Note : Proper consumer panel studies and testing are necessary to insure the stability of organic pigments & lakes in emulsions products and during use.

2 Not suitable for use in lipsticks or other ingested products

Note : Proper consumer panel studies and testing are necessary to insure the stability of organic pigments & lakes in emulsions products and during use.

Dispersions in Esters

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠
CO30R6B	Ricinus Communis (Castor) Seed Oil (And) Red 6 Lake (And) Isopropyl Titanium Triisostearate	Preferred Use: Anhydrous non-volatile and partially volatile systems May also be used in: Emulsions (W/S, W/O, S/W, O/W)	Preferred (Anhydrous): lipsticks, blush and other stick forms May also be used in (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, emulsion lipsticks and blush	1
CO20R7C	Ricinus Communis (Castor) Seed Oil (And) Red 7 Lake (And) Isopropyl Titanium Triisostearate			
CO35Y5A	Ricinus Communis (Castor) Seed Oil (And) Yellow 5 Lake (And) Isopropyl Titanium Triisostearate			
CO40SS	Sodium Saccharin (And) Ricinus Communis (Castor) Seed Oil (And) BHT			
TNP55TRR	Iron Oxides (C.I. 77491) (And) C12-15 Alkyl Benzoate (And) Triethoxycaprylylsilane (And) Polyhydroxystearic Acid	Preferred Use: Emulsions (W/S, W/O) May also be used in: Anhydrous non-volatile and volatile systems	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, emulsion lipsticks and blush May also be used in (Anhydrous): Eyeshadows, concealers, lipsticks	
TNP55TRY	Iron Oxides (C.I. 77492) (And) C12-15 Alkyl Benzoate (And) Triethoxycaprylylsilane (And) Polyhydroxystearic Acid			
WE70U	Titanium Dioxide (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate	Preferred Use: Emulsions (W/S, W/O) May also be used in: Anhydrous non-volatile and volatile systems	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, emulsion lipsticks and blush May also be used in (Anhydrous): Eyeshadows, concealers, lipsticks	
WE70R	Iron Oxides (C.I. 77491) (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE55Y	Iron Oxides (C.I. 77492) (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE70B	Iron Oxides (C.I. 77499) (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE30R6B	Red 6 Lake (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE30R7C	Red 7 Lake (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE30Y5A	Yellow 5 Lake (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			
WE30B1A	Blue 1 Lake (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate (And) Isopropyl Titanium Triisostearate			

Dispersions in Aqueous Acrylic Resin

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠
WSJ28PFAMP	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Titanium Dioxide (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Alumina (And) Aminomethyl Propanol	Preferred Use: Emulsions (O/W, S/W, W/O, W/S) or Aqueous Suspensions	Preferred (Emulsions): Sunscreens, liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, blush (Suspensions): Sunscreens, oil control liquid make-ups	
WSJ22ERAMP	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Iron Oxides (C.I. 77491) (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol			
WSJ20EYAMP	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Iron Oxides (C.I. 77492) (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol			
WSJ22BNF	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Iron Oxides (C.I. 77499) (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol			
WSJ24BBNF	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Iron Oxides (C.I. 77499) (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol (And) Ammonium Polyacrylate			
WSJ22UPAMP	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Ultramarines (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol			
WSJ24UBAMP	Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Ultramarines (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Aminomethyl Propanol			
WSJ10CB	Black 2 (And) PEG-40 Hydrogenated Castor Oil (And) Water (And) Acrylates/Ethylhexyl Acrylate Copolymer (And) Aminomethyl Propanol (And) Sodium Dehydroacetate (And) Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (And) Laureth-21			

1 Not suitable for use in eye area

Note : Proper consumer panel studies and testing are necessary to insure the stability of organic pigments & lakes in emulsions products and during use.

2 Not suitable for use in lipsticks or other ingested products

Note : Proper consumer panel studies and testing are necessary to insure the stability of organic pigments & lakes in emulsions products and during use.

Dispersions in Water / Glycols

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠
BG60PFCQ	Titanium Dioxide (And) Butylene Glycol (And) Water (And) Polyquaternium-7 (And) Alumina	Preferred Use: Emulsions (O/W, S/W, W/O, W/S) or aqueous suspensions	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, blush (Suspensions): Oil control liquid make-ups	
BG60GRQ	Iron Oxides (C.I. 77491) (And) Butylene Glycol (And) Water (And) Polyquaternium-7			
BG45GYQ	Butylene Glycol (And) Iron Oxides (C.I. 77492) (And) Water (And) Polyquaternium-7			
BG55GBQ	Iron Oxides (C.I. 77499) (And) Butylene Glycol (And) Water (And) Polyquaternium-7			
GLW75PFAP-MP	Titanium Dioxide (And) Water (And) Glycerin (And) Ammonium Polyacrylate	Preferred Use: Emulsions (O/W, S/W, W/O, W/S) or aqueous suspensions	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, blush (Suspensions): Oil control liquid make-ups	
GLW55GRAP	Iron Oxides (C.I. 77491) (And) Water (And) Glycerin (And) Ammonium Polyacrylate			
GLW45GYAP	Iron Oxides (C.I. 77492) (And) Water (And) Glycerin (And) Ammonium Polyacrylate			
GLW60GBAP	Iron Oxides (C.I. 77499) (And) Water (And) Glycerin (And) Ammonium Polyacrylate			
W60BBNFAP	Iron Oxides (C.I. 77499) (And) Water (And) Ammonium Polyacrylate	Preferred Use: Emulsions (O/W, S/W, W/O, W/S) or aqueous suspensions	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, blush (Suspensions): oil control liquid make-ups	
W65FU	Titanium Dioxide (And) Water (And) Microcrystalline Cellulose (And) Cellulose Gum			

Dispersions in Silicones

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠
FAF40TRR	Cyclopentasiloxane (And) Iron Oxides (C.I. 77491) (And) Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) PEG/PPG-18/18 Dimethicone	Preferred Use: Emulsions (W/S, W/O) May also be used in: Anhydrous non-volatile and volatile systems	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, emulsion lipsticks and blush May also be used in (Anhydrous): Eyeshadows, concealers, lipsticks	
FAF40TRY	Cyclopentasiloxane (And) Iron Oxides (C.I. 77492) (And) Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) PEG/PPG-18/18 Dimethicone			
FAS70USI	Titanium Dioxide (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS50R6SI	Red 6 Lake (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS50R7SI	Red 7 Lake (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS55ERSI	Iron Oxides (C.I. 77491) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS45Y5SI	Yellow 5 Lake (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS50EYSI	Iron Oxides (C.I. 77492) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAS60EBSI	Iron Oxides (C.I. 77499) (And) Cyclopentasiloxane (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			

Dispersions in Volatile Non-D5 Silicones

Trade Name	INCI Name	Recommended for : formulations	Recommended for : applications	⚠
DIM2F50TRR	Dimethicone (And) Iron Oxides (C.I. 77491) (And) PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate	Preferred Use: Emulsions (W/S, W/O) May also be used in: Anhydrous non-volatile and volatile systems	Preferred (Emulsions): Liquid and cream foundation make-ups, cream-to-powder make-up, concealers, mascaras, emulsion lipsticks and blush May also be used in (Anhydrous): Eyeshadows, concealers, lipsticks	
DIM2F45TRY	Dimethicone (And) Iron Oxides (C.I. 77492) (And) PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate			
FAND65USI	Titanium Dioxide (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAND55RSI	Iron Oxides (C.I. 77491) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAND45YSI	Iron Oxides (C.I. 77492) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
FAND60BSI	Iron Oxides (C.I. 77499) (And) Dimethicone (And) PEG/PPG-18/18 Dimethicone (And) Triethoxycaprylylsilane			
MTMF65BNFM	Iron Oxides (C.I. 77499) (And) Methyl Trimethicone (And) Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate			

1 Not suitable for use in eye area

Note : Proper consumer panel studies and testing are necessary to insure the stability of organic pigments & lakes in emulsions products and during use.