

# MATERIAL SAFETY DATA SHEET

---

## SECTION 1: CHEMICAL PRODUCT IDENTIFICATION

---

Manufacturer/Distributor : Kobo Products, Inc.  
Address : 3474 South Clinton Avenue  
South Plainfield, NJ 07080, USA  
Emergency Telephone # : (908) 757-0033  
Facsimile Number : (908) 757-0905  
Trade Name : **TNQP50TEL6**  
Chemical Name/ Synonyms : C12-15 Alkyl Benzoate (And) Titanium Dioxide (And) Alumina (And) Silica (And)  
Polyhydroxystearic Acid

---

## SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

---

<u>Ingredient Name</u>	<u>CAS #</u>	<u>EINECS #</u>
C12-15 Alkyl Benzoate	68411-27-8	270-112-4
Titanium Dioxide	13463-67-7	236-675-5
Alumina	1333-84-2, 1344-28-1	215-691-6
Silica	7631-86-9, 112945-52-5	231-545-4, 262-373-8
Polyhydroxystearic Acid	27924-99-8, 58128-22-6	500-140-7

---

## SECTION 3: HAZARD IDENTIFICATION

---

No hazard identification

---

## SECTION 4: FIRST AID MEASURES

---

### Emergency First Aid:

Eye Contact : Flush eyes with water for at least 15 min. See physician if irritation persists.  
Skin Contact : Flush skin with water.  
Ingestion : None needed for small amounts. For large amounts, if conscious, give water and call physician.  
Do not induce vomiting.

---

## SECTION 5: FIRE FIGHTING MEASURES

---

Flash Point (Closed Cup) : >160°C  
Extinguishing Media : Water, Dry Chemical, Foam, and CO2  
Special Fire Fighting Procedures : Self-contained breathing apparatus and protective clothing.  
Unusual Fire And Explosion Hazards : None

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

Personal Precautions : Eye contact and excessive skin contact.  
Environmental Precautions : Prevent material from contaminating soil or entering sewerage and drainage systems.  
Spill response : Use appropriate NIOHS/MSHA approved respirator. Wear chemical gloves, goggles, and lab coat. Carefully contain spilled material. Deposit spilled material in appropriate waste container.

---

## SECTION 7: HANDLING AND STORAGE

---

Handling : Use with adequate ventilation. Avoid contact with eyes. Wash thoroughly after handling and before mealtimes.  
Follow all MSDS and label precautions even after container is emptied since it may contain residual material.  
Storage : Store containers closed in ambient location away for all possible combustion.

---

## SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

---

Exposure Levels:	OSHA		ACGIH	
	<u>TWA</u>	<u>PEL</u>	<u>TWA</u>	<u>TLV</u>
Component				
TiO2	15 mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	

### Personal Protection:

Eye Protection : Safety glasses with side shields or goggles  
Skin Protection : Rubber gloves, wash at meals and end of shifts  
Respiratory Protection : Use NIOSH/MSHA approved air purifying respirator as needed to control exposure.  
Ventilation : Provide adequate general mechanical exhaust.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point (°C)	: >275	Percent Volatile By Vol. (%)	: N/A
Freezing Point (°C)	: <0	Vapor Density (Air=1)	: N/A
Melting Point (°C)	: N/A	Evaporation Rate (Buac=1)	: N/A
Vapor Pressure (mm hg)	: N/A	Solubility In Water	: Insoluble
Specific Gravity (H <sub>2</sub> O)	: N/A	Appearance & Odor	: White liquid, characteristic odor

**SECTION 10: STABILITY AND REACTIVITY**

Stable	: Yes
Hazardous Polymerization	: Will not occur
Conditions to Avoid	: Open flames and sparks, extreme heat, oxidizing materials
Incompatibility	: Oxidizing materials and strong caustic materials can cause a reaction.
Hazardous Decomposition Products	: Incomplete combustion can form CO, CO <sub>2</sub> , and dense smoke

**SECTION 11: TOXICOLOGICAL INFORMATION**

	<u>Titanium Dioxide*</u>
Skin Irritation	: Dermal LD <sub>50</sub> > 10 g/kg (rabbit)
Eye Irritation	: No data
Acute Oral Toxicity	: Non-toxic, LD <sub>50</sub> > 25 g/kg (rat)
Inhalation LC <sub>50</sub>	: >6.82 mg/L (4 hour)
Sensitization	: No data

\*: Trochimowicz. et. Al., J. Appl. Tox. 8, 383-385 (1998)

**Chronic Effects on Humans**

**CARCINOGENIC EFFECTS:** Classified None by NIOSH [Titanium Dioxide]. Classified A4 (not classifiable for human or animal) by ACGIH. Classifiable Group 2B (possibly carcinogenic to humans) by IARC [Titanium Dioxide].

**MUTAGENIC EFFECTS:** Not available.

**TERATOGENIC EFFECTS:** Not available.

**DEVELOPMENTAL TOXICITY:** Not available.

Repeated or prolonged exposure to the substance at concentrations above exposure limits may cause respiratory damage.

Target Organs: eyes, lungs, skin.

**Acute Effects on Humans** May cause skin, eye, and respiratory irritation.

**Sensitization** Repeated or prolonged exposure to the substance at concentrations above the exposure limits may cause respiratory tract and lung sensitization.

**Carcinogenic Effects** This material is not known to cause cancer in animals or humans.

**SECTION 12: ECOLOGICAL INFORMATION**

No information is available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Method of Disposal : Dispose of in accordance with all applicable federal, state, and local regulations. Material may be sent to an approved landfill or licensed treatment, storage, and disposal facility.

**SECTION 14: TRANSPORT INFORMATION**

DOT Classification : Not Regulated

**SECTION 15: REGULATORY INFORMATION**

This product or its components are on the following inventories : European Inventory of Existing Commercial Chemicals  
Australia Inventory of Chemical Substances  
Japan Inventory of Existing & New Chemical Substances  
Canada DSL Inventory

**SECTION 16: OTHER INFORMATION**

---

**Hazardous Material Information System (U.S.A.)** [Ratings Key: 4= Highest hazard, 0= Lowest hazard]

Health	1
Fire Hazard	1
Reactivity	0
Personal Protection	C

Date Prepared : March 11, 2011

**Note:** The statements made here are intended to describe the product with regard to necessary safety precautions. They do not guarantee special characteristics. This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our current knowledge.