

PRODUCT SPECIFICATIONS

KTZ® MISTERIOSO COPPER

INCI Name: Mica (And) Iron Oxides (C.I. 77491) (And) Iron Oxides (C.I. 77499)

Test ID	Test Name	Specification	Test Methods
001A	Appearance	Free flowing brown powder	Visual
002A	Odor	None	Organoleptic
003I	Color	To match standard	Compare drawdown against standard
012B	Microbiology	<100 cfu/g; No Pathogens	Current USP Microbial Limit Test
024F	Median Particle Size, µm	--	Light Scattering Sizer
024J	Particle Size Range, µm	Min : 1 - Max : 50	Light Scattering Sizer
025U	pH-Value (10% Aqueous Suspension)	Min : 6 - Max : 11	TZTM-45
027F	Arsenic, ppm	Min : 0 - Max : 1	AAS
029H	Lead, ppm	Min : 0 - Max : 10	AAS
031C	Mercury, ppm	Min : 0 - Max : 1	AAS
032A	Antimony, ppm	Min : 0 - Max : 2	AAS
079A	Barium, ppm	Min : 0 - Max : 50	AAS
080B	Cadmium, ppm	Min : 0 - Max : 1	AAS
081A	Chromium, ppm	Min : 0 - Max : 100	AAS
082A	Copper, ppm	Min : 0 - Max : 50	AAS
083A	Nickel, ppm	Min : 0 - Max : 200	AAS
084A	Zinc, ppm	Min : 0 - Max : 50	AAS
877X	Base pigments	The color components in this product meet the applicable US FDA (21-CFR requirements), Japan MHW, and EU Cosmetic Directive 76/768/EEC specifications and purity.	Tested by supplier

tel : 908-757-0033
fax : 908-757-0905

KOBO

www.koboproducts.com
info@koboproductsinc.com

If you have any questions about the information contained within this document, please contact Kobo's QC department extension 7113 or 7106.

Feb. 2012