

## PRODUCT SPECIFICATIONS

Product: K-RAY® SM GOLD SP

INCI Name: Synthetic Fluorophlogopite (And) Titanium Dioxide

Test ID	Test Name	Specification			Test Method
		Min	Max	Text	
001A	Appearance	Sparkle gold powder			Visual
002A	Odor	Odorless			Organoleptic
012Q	Microbiology	Total bacterial count < 100/g (ml); Yeast and mold < 100/g (ml); No gram negative or positive			CLRTM-54
015N	TiO2%	5	15		CLRTM-48
024W	Particle Size Range, µm	100	1000		CLRTM-42
025U	pH-Value (10% Aqueous Suspension)	4	11		CLRTM-45
037K	Oil Absorption, g/100g	50	90		CLRTM-46
996A	* Notes on Storage	Store under dry conditions and keep containers closed.			
<p><b><i>The color components in this product meet the applicable US FDA 21-CFR, Japan MHW, and EU Regulation (EC) No 1223/2009 specifications and purity requirements.</i></b></p>					
027X	Arsenic, ppm	0	1		CLRTM-55
029U	Lead, ppm	0	10		CLRTM-55
031K	Mercury, ppm	0	1		CLRTM-55
032F	Antimony, ppm	0	2		CLRTM-55
080E	Cadmium, ppm	0	1		CLRTM-55
084F	Zinc, ppm	0	50		CLRTM-55

If you have any questions about the information contained within this document, please contact Kobo QC Department at extension 7106.

Jun. 2018

**KOBO PRODUCTS, INC. • 3474 SOUTH CLINTON AVENUE • SOUTH PLAINFIELD, N.J. 07080 U.S.A.**